

Revision: 16.05.2022

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.05.2022

Version number 7 (replaces version 6)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
 - Trade name: Technovit Provil/ Technovit Provil Light
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
 - · Application of the substance / the mixture Resin for indirect surface testing and impressions
- · 1.3 Details of the supplier of the safety data sheet
 - Manufacturer/Supplier:

Kulzer GmbH

Leipziger Straße 2, 63450 Hanau (Germany) Tel.: +49 (0)6181 9689-2570 (Wehrheim)

- · Informing department: email: technik.wehrheim@kulzer-dental.com
- 1.4 Emergency telephone number: Emergency CONTACT (24-Hour-Number): +49 (0)6132-84463

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
 - · Classification according to Regulation (EC) No 1272/2008

STOT RE 1

H372 Causes damage to the lung through prolonged or repeated exposure. Route of exposure: Inhalation.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- · 2.2 Label elements
 - Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms



- · Signal word Danger
- · Hazard-determining components of labelling:

Cristobalite

· Hazard statements

H372 Causes damage to the lung through prolonged or repeated exposure. Route of exposure: Inhalation.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P273 Avoid release to the environment.

P284 In case of inadequate ventilation wear respiratory protection.

P342+P311 If experiencing respiratory symptoms: Call a POISON CENTER/doctor.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

· PBT:

556-67-2 octamethylcyclotetrasiloxane

(Contd. on page 2)



Printing date 16.05.2022

Version number 7 (replaces version 6)

Revision: 16.05.2022

Trade name: Technovit Provil/ Technovit Provil Light

(Contd. o	page 1)
-----------	---------

· vPvB:

556-67-2 octamethylcyclotetrasiloxane

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
 - · Description: -

· Dangerous components:		
CAS: 14464-46-1	Cristobalite	25-50%
EINECS: 238-878-4	STOT RE 1, H372	
CAS: 556-67-2	octamethylcyclotetrasiloxane	≥0.025-<0.25%
EINECS: 209-136-7	Flam. Liq. 3, H226	
Reg.nr.: 01-2119529238-36-xxx		
	Aquatic Chronic 1, H410 (M=10)	
	PBT; vPvB	

[·] Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

General information

Personal protection for the First Aider.

Take affected persons into the open air.

In case of irregular breathing or respiratory arrest provide artificial respiration.

Take affected persons out of danger area and instruct to lie down.

After inhalation

In case of unconsciousness bring patient into stable side position for transport.

Take affected persons into the open air and position comfortably

Supply fresh air or oxygen; call for doctor.

- · After skin contact Instantly wash with water and soap and rinse thoroughly.
- After eve contact

Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor.

Remove contact lenses, if present and easy to do. Continue rinsing.

After swallowing

Rinse out mouth and then drink plenty of water.

In case of persistent symptoms consult doctor.

- 4.2 Most important symptoms and effects, both acute and delayed Breathing difficulty Coughing

4.3 Indication of any immediate medical attention and special treatment needed Subsequent observation for pneumonia and pulmonary oedema

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
 - Suitable extinguishing agents

CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.

- For safety reasons unsuitable extinguishing agents Water with a full water jet.
- · 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

Can be released in case of fire

Carbon dioxide (CO2)

(Contd. on page 3)



Printing date 16.05.2022

Version number 7 (replaces version 6)

Revision: 16.05.2022

Trade name: Technovit Provil/ Technovit Provil Light

(Contd. of page 2)

Carbon monoxide (CO)

- 5.3 Advice for firefighters
 - Protective equipment:

Wear self-contained breathing apparatus. (EN 133)

Additional information -

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Use breathing protection against the effects of fumes/dust/aerosol.

Ensure adequate ventilation

Wear protective equipment. Keep unprotected persons away.

Do not breathe vapor / mist / gas.

· 6.2 Environmental precautions:

Do not allow to enter the ground/soil.

Do not allow to enter drainage system, surface or ground water.

Damp down gases/fumes/haze with water spray jet.

If material reaches soil inform authorities responsible for such cases.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (diatomite, universal binders, for small amounts tissues).

Send for recovery or disposal in suitable containers.

6.4 Reference to other sections

See Section 8 for information on personal protection equipment.

See Section 7 for information on safe handling

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Prevent formation of aerosols.

Avoid contact with eyes and skin.

Do not breathe vapor / mist / gas.

Ensure good ventilation/exhaustion at the workplace.

Information about protection against explosions and fires:

Protect from heat.

Keep ignition sources away - Do not smoke.

· Handling

do not mix with

Strong acids

Strong bases

metals

Strong oxidizers

- · 7.2 Conditions for safe storage, including any incompatibilities
 - · Storage
 - Requirements to be met by storerooms and containers:

Store in cool, dry place in tightly closed containers.

- Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions: Store in a cool place.
- · 7.3 Specific end use(s) No further relevant information available.

0.0



Printing date 16.05.2022

Version number 7 (replaces version 6)

Revision: 16.05.2022

Trade name: Technovit Provil/ Technovit Provil Light

(Contd. of page 3)

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

Components with critical values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Not required.

· DNELs

556-67-2 octamethylcyclotetrasiloxane

Oral Inhalative

general population, long term, systemic 3.7 mg/Kg (not defined) worker industrial, long term, systemic 73 mg/m3 (not defined) worker industrial, long term, local 73 mg/m3 (not defined) general population, long term, systemic 13 mg/m3 (not defined) general population, long term, local 13 mg/m3 (not defined)

556-67-2 octamethylcyclotetrasiloxane

freshwater 0.0015 mg/l (not defined) marine water 0.00015 mg/l (not defined) sewage treatment plant 10 mg/l (not defined) sediment, dry weight, freshwater 3 mg/Kg (not defined) sediment, dry weight, marine water 0.3 mg/Kg (not defined)

· 8.2 Exposure controls

- Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
 - General protective and hygienic measures

The usual precautionary measures should be adhered to in handling the chemicals.

Do not eat or drink while working. Do not inhale dust / smoke / mist.

Wash hands during breaks and at the end of the work.

Breathing equipment:

Use breathing protection in case of insufficient ventilation.

ABEK-P3 (EN14387)

· Hand protection

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

The glove material has to be impermeable and resistant to the product/ the substance/ the

chemical protection gloves are suitable, which are tested according to EN 374

Check protective gloves prior to each use for their proper condition.

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

NBR: acrylonitrile-butadiene rubber (0,11 mm)

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

>30 min

(Contd. on page 5)

[·] Additional information: The lists that were valid during the compilation were used as basis.



Revision: 16.05.2022

Page 5/9 Safety data sheet

Printing date 16.05.2022

according to 1907/2006/EC, Article 31 Version number 7 (replaces version 6)

Trade name: Technovit Provil/ Technovit Provil Light

(Contd. of page 4)

· Eye/face protection eye protection (EN 166)

· Body protection: Light weight protective clothing

Environmental exposure controls

Do not allow to enter the ground/soil.

Do not allow to enter drainage system, surface or ground water.

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

General Information

· Physical state Fluid · Colour: Black Odourless · Smell: Odour threshold: Not determined.

· Melting point/freezing point:

· Boiling point or initial boiling point and

boiling range

· Flammability Lower and upper explosion limit

Lower: Not determined. · Upper: Not determined.

51 °C (556-67-2 octamethylcyclotetrasiloxane) 384 °C (556-67-2 octamethylcyclotetrasiloxane) Flash point: Ignition temperature: Not determined.

Not determined

Not applicable.

175 °C (556-67-2 octamethylcyclotetrasiloxane)

Not miscible or difficult to mix

· Decomposition temperature:

·SADT

рΗ Not determined.

. Viscosity:

Kinematic viscosity Not determined. dynamic: Not determined. Solubility

Water:

· Partition coefficient n-octanol/water (log

value)

Not determined. h P a Steam pressure at 25 °C: 1 . 3 (556-67-2

octamethylcyclotetrasiloxane)

· Density and/or relative density

1.6 g/cm³ Density at 20 °C Relative density Not determined. Not determined. · Vapour density

· 9.2 Other information No further relevant information available.

Appearance:

Form: Pasty

Important information on protection of health and environment, and on safety.

Self-inflammability: Product is not selfigniting. Explosive properties: Product is not explosive.

Change in condition

Evaporation rate Not determined.

· Information with regard to physical hazard

classes

· Explosives Void · Flammable gases Void

(Contd. on page 6)



Printing date 16.05.2022 Version number 7 (replaces version 6) Revision: 16.05.2022

Trade name: Technovit Provil/ Technovit Provil Light

		(Contd. of page 5)
· Aerosols	Void	
· Oxidising gases	Void	
· Gases under pressure	Void	
· Flammable liquids	Void	
· Flammable solids	Void	
· Self-reactive substances and mixtures	Void	
· Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
· Substances and mixtures, which emit		
flammable gases in contact with water	Void	
· Oxidising liquids	Void	
Oxidising solids	Void	
· Organic peroxides	Void	
Corrosive to metals	Void	
· Desensitised explosives	Void	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
 - · Conditions to be avoided: No decomposition if used and stored according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- · 10.4 Conditions to avoid Heat, flames and sparks.
- 10.5 Incompatible materials:

Strong acids

Strong bases

metals

Strong oxidizers

· 10.6 Hazardous decomposition products: None

SECTION 11: Toxicological information

• 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
• Acute toxicity Based on available data, the classification criteria are not met.

I D/I CEO values that are relevant for elections

LD/LC50 values that are relevant for classification:		
556-67-2 o	ctamethy	lcyclotetrasiloxane
Oral L	LD50	>4,800 mg/kg (rat) (OECD 401)
Dermal L	LD50	>2,375 mg/kg (rat) (OECD 402)
Inhalative L	LC50/4 h	36 mg/l (rat) (OECD 403)

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure

Causes damage to the lung through prolonged or repeated exposure. Route of exposure:

· Aspiration hazard Based on available data, the classification criteria are not met.

(Contd. on page 7)



Printing date 16.05.2022

Version number 7 (replaces version 6)

Revision: 16.05.2022

Trade name: Technovit Provil/ Technovit Provil Light

· 11.2 Information on other hazards

· Endocrine disrupting properties

556-67-2 octamethylcyclotetrasiloxane

List II, III

(Contd. of page 6)

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

556-67-2 octamethylcyclotetrasiloxane

>0.015 mg/L (daphnia) (EPA OTS 797.1330) EC50/21d EC50/48h >0.015 mg/l (daphnia) (EPA OTS 797.1300)

>0.022 mg/l (fish) (EPA OTS 797.1400) LC50/96h

NOEC / 91d ≥0.0044 mg/l (fish)

NOEC / 21d ≥0.015 mg/l (daphnia) (EPA OTS 797.1330)

NOEC / 96h <0.022 mg/l (algae) (EPA OTS 797.1050)

≥0.022 mg/l (fish) (EPA OTS 797.1400)

NOEC / 48h ≥0.015 mg/l (daphnia) (EPA OTS 797.1300)

ErC50/ 96h | >0.022 mg/L (algae) (EPA OTS 797.1050)

· 12.2 Persistence and degradability

556-67-2 octamethylcyclotetrasiloxane

Biodegradation 3.7 % /29d (not defined) (OECD 310)

· 12.3 Bioaccumulative potential

556-67-2 octamethylcyclotetrasiloxane

Bloconcentration factor (BCF) 12,400 (not defined)

- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment

PBT:

556-67-2 octamethylcyclotetrasiloxane

556-67-2 octamethylcyclotetrasiloxane

12.6 Endocrine disrupting properties

For information on endocrine disrupting properties see section 11.

- 12.7 Other adverse effects
 - Additional ecological information:
 - General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or

Do not allow product to reach ground water, water bodies or sewage system.

Danger to drinking water if even small quantities leak into soil.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

Recommendation Smaller quantities can be disposed with household garbage.

(Contd. on page 8)



Revision: 16.05.2022

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.05.2022

Version number 7 (replaces version 6)

(Contd. of page 7)

Trade name: Technovit Provil/ Technovit Provil Light

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information	on	
14.1 UN number or ID number · ADR, ADN, IMDG, IATA	Void	
14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Void	
14.4 Packing group · ADR, IMDG, IATA	Void	
14.5 Environmental hazards: • Marine pollutant:	No	
14.6 Special precautions for user	Not applicable.	
14.7 Maritime transport in bulk according IMO instruments	g to Not applicable.	
· Transport/Additional information:	-	
UN "Model Regulation":	Void	

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
 - Directive 2012/18/EU
 - · Named dangerous substances ANNEX I None of the ingredients is listed.
 - · Information about limitation of use:

Employment restrictions concerning young persons must be observed.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H226 Flammable liquid and vapour.

H361f Suspected of damaging fertility.

H372 Causes damage to organs through prolonged or repeated exposure. H410 Very toxic to aquatic life with long lasting effects.

Abbreviations and acronyms:

SADT: Self Accelerating Decomposition Temperature
ADR: Self Accelerating Decomposition Temperature
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement
Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

(Contd. on page 9)



Printing date 16.05.2022

Version number 7 (replaces version 6)

Revision: 16.05.2022

Trade name: Technovit Provil/ Technovit Provil Light

(Contd. of page 8)

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (GB REACH)
PNEC: Predicted No-Effect Concentration (GB REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic

PST: Persistent, Bloaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Flam. Liq. 3: Flammable liquids – Category 3
Repr. 2: Reproductive toxicity – Category 2
STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

Sources

(EC) 1272/2008: classification, labelling and packaging of substances and mixtures

(EĆ) 1907/2006: GB REACH

ADR/RID/ADN - IDMG - IATA: transport of dangerous goods by road, rail, inland waterway, with

maritime vessels and for the air transport

* Data compared to the previous version altered.