

**Safety data sheet
 according to 1907/2006/EC, Article 31**

Printing date 08.06.2022


Version number 6 (replaces version 5)

Revision: 08.06.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
 - Trade name: **Technovit 4006 SE powder**
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
 No further relevant information available.
 - **Application of the substance / the mixture** Resin for metallographic testing
- **1.3 Details of the supplier of the safety data sheet**
 - **Manufacturer/Supplier:**
 Kulzer GmbH
 Leipziger Straße 2, 63450 Hanau (Germany)
 Tel.: +49 (0)6181 9689-2570 (Wehrheim)
 - **Informing department:** email: technik.wehrheim@kulzer-dental.com
- **1.4 Emergency telephone number:** Emergency CONTACT (24-Hour-Number): +49 (0)6132-84463

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
 - **Classification according to Regulation (EC) No 1272/2008**
 Aquatic Chronic 2 H411 (M=10) Toxic to aquatic life with long lasting effects.
 - **2.2 Label elements**
 - **Labelling according to Regulation (EC) No 1272/2008**
 The product is classified and labelled according to the GB CLP regulation.
 - **Hazard pictograms**
- 

GHS09
- **Signal word** Void
 - **Hazard statements**
 H411 Toxic to aquatic life with long lasting effects.
 - **Precautionary statements**
 P273 Avoid release to the environment.
 P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
 - **Additional information:**
 Contains methyl methacrylate, dibenzoyl peroxide. May produce an allergic reaction.
 - **2.3 Other hazards**
 - **Results of PBT and vPvB assessment**
 - **PBT:** Not applicable.
 - **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- **3.2 Mixtures**
 - **Description:** -

· **Dangerous components:**

CAS: 80-62-6	methyl methacrylate	≥0.1-<1%
EINECS: 201-297-1	Flam. Liq. 2, H225	
Reg.nr.: 01-2119452498-28-xxxx	Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335	

(Contd. on page 2)

**Safety data sheet
 according to 1907/2006/EC, Article 31**

Printing date 08.06.2022

Version number 6 (replaces version 5)

Revision: 08.06.2022

Trade name: Technovit 4006 SE powder

CAS: 94-36-0	dibenzoyl peroxide	(Contd. of page 1)
EINECS: 202-327-6	Self-react. B, H241; Org. Perox. B, H241	≥0.25-<1%
Reg.nr.: 01-2119511472-50-xxxx	Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=10)	
	Eye Irrit. 2, H319; Skin Sens. 1, H317	

· **Additional information** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- **4.1 Description of first aid measures**
 - **General information** No special measures required.
 - **After inhalation** Supply fresh air; consult doctor in case of symptoms.
 - **After skin contact**
 Instantly wash with water and soap and rinse thoroughly.
 If skin irritation or rash occurs: Get medical advice/attention.
 - **After eye contact**
 Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor.
 Remove contact lenses, if present and easy to do. Continue rinsing.
 - **After swallowing**
 Rinse out mouth and then drink plenty of water.
 In case of persistent symptoms consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed**
 No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**
 No further relevant information available.

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
 - **Suitable extinguishing agents**
 CO₂, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.
 - **For safety reasons unsuitable extinguishing agents** Water with a full water jet.
- **5.2 Special hazards arising from the substance or mixture**
 Formation of toxic gases is possible during heating or in case of fire.
 Combustible solids. Fine dust clouds can form explosive mixtures with air.
 Can be released in case of fire
 Carbon dioxide (CO₂)
 Carbon monoxide (CO)
- **5.3 Advice for firefighters**
 - **Protective equipment:**
 Wear self-contained breathing apparatus.
 (EN 133)
 - **Additional information**
 Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
 Avoid contact with eyes and skin.
 Ensure adequate ventilation
 Wear protective equipment. Keep unprotected persons away.
 Avoid causing dust.
 Keep away from ignition sources

(Contd. on page 3)

**Safety data sheet
 according to 1907/2006/EC, Article 31**

Printing date 08.06.2022

Version number 6 (replaces version 5)

Revision: 08.06.2022

Trade name: Technovit 4006 SE powder

(Contd. of page 2)

- **6.2 Environmental precautions:**
 Do not allow to enter drainage system, surface or ground water.
 Damp down dust with water spray jet.
 Keep dirty washing water for appropriate disposal.
- **6.3 Methods and material for containment and cleaning up:**
 Collect mechanically.
 Send for recovery or disposal in suitable containers.
- **6.4 Reference to other sections**
 See Section 8 for information on personal protection equipment.
 See Section 7 for information on safe handling

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**
 Provide suction extractors if dust is formed.
 Avoid contact with eyes and skin.
 Ensure good ventilation/exhaustion at the workplace.
 Any deposit of dust which cannot be avoided must be removed regularly.
 Prevent formation of dust.
 - **Information about protection against explosions and fires:**
 Use explosion-proof apparatus / fittings and spark-proof tools.
 Protect against electrostatic charges.
 Do not spray on flames or red-hot objects.
 Dust can combine with air to form an explosive mixture.
 Keep ignition sources away - Do not smoke.
 - **Handling**
 do not mix with
 Strong oxidizers
 Strong acids
 reducing agent
- **7.2 Conditions for safe storage, including any incompatibilities**
 - **Storage**
 - **Requirements to be met by storerooms and containers:**
 Store in cool, dry place in tightly closed containers.
 - **Information about storage in one common storage facility:** Not required.
 - **Further information about storage conditions:** None.
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

· **8.1 Control parameters**

· Components with critical values that require monitoring at the workplace:	
80-62-6 methyl methacrylate	
WEL (Great Britain)	Short-term value: 416 mg/m ³ , 100 ppm Long-term value: 208 mg/m ³ , 50 ppm
IOELV (European Union)	Short-term value: 100 ppm Long-term value: 50 ppm
94-36-0 dibenzoyl peroxide	
WEL (Great Britain)	Long-term value: 5 mg/m ³

(Contd. on page 4)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 08.06.2022

Version number 6 (replaces version 5)

Revision: 08.06.2022

Trade name: Technovit 4006 SE powder

(Contd. of page 3)

· DNELs		
80-62-6 methyl methacrylate		
Oral	general population, long term, systemic	8.2 mg/Kg (not defined)
Dermal	worker industrial, long term, systemic	13.67 mg/Kg/d (not defined)
	general population, long term, systemic	8.2 mg/Kg/d (not defined)
Inhalative	worker industrial, acute, local	416 mg/m ³ (not defined)
	worker industrial, long term, systemic	348.4 mg/m ³ (not defined)
	worker industrial, long term, local	208 mg/m ³ (not defined)
	general population, acute, local	208 mg/m ³ (not defined)
	general population, long term, systemic	74.3 mg/m ³ (not defined)
94-36-0 dibenzoyl peroxide		
Oral	general population, long term, systemic	2 mg/Kg (not defined)
Dermal	worker industrial, long term, systemic	13.3 mg/Kg/d (not defined)
Inhalative	worker industrial, long term, systemic	39 mg/m ³ (not defined)

· PNECs		
80-62-6 methyl methacrylate		
freshwater		0.94 mg/l (not defined)
marine water		0.094 mg/l (not defined)
sewage treatment plant		10 mg/l (not defined)
sediment, dry weight, freshwater		10.2 mg/Kg (not defined)
sediment, dry weight, marine water		0.102 mg/Kg (not defined)
soil, dry weight		1.48 mg/Kg (not defined)
94-36-0 dibenzoyl peroxide		
freshwater		0.00002 mg/l (not defined)
marine water		0.000002 mg/l (not defined)
sewage treatment plant		0.35 mg/l (not defined)
sediment, dry weight, freshwater		0.013 mg/Kg (not defined)
sediment, dry weight, marine water		0.001 mg/Kg (not defined)
soil, dry weight		0.003 mg/Kg (not defined)

· **Additional information:** The lists that were valid during the compilation were used as basis.

· **8.2 Exposure controls**

· **Appropriate engineering controls** No further data; see item 7.

· **Individual protection measures, such as personal protective equipment**

· **General protective and hygienic measures**

The usual precautionary measures should be adhered to in handling the chemicals.

Do not eat or drink while working.

Avoid contact with the eyes and skin.

Keep away from foodstuffs, beverages and food.

· **Breathing equipment:**

Use breathing protection in case of insufficient ventilation.

particulate filter device (EN 143)

· **Hand protection**

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

(Contd. on page 5)

**Safety data sheet
according to 1907/2006/EC, Article 31**

Printing date 08.06.2022

Version number 6 (replaces version 5)

Revision: 08.06.2022

Trade name: Technovit 4006 SE powder

(Contd. of page 4)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

chemical protection gloves are suitable, which are tested according to EN 374

Check protective gloves prior to each use for their proper condition.

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

NBR: acrylonitrile-butadiene rubber (0,11 mm)

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

>30 min

· **Eye/face protection** eye protection (EN 166)

· **Body protection:** Light weight protective clothing

· **Environmental exposure controls**

Do not allow to enter the ground/soil.

Do not allow to enter drainage system, surface or ground water.

SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· **Physical state**

Solid.

· **Colour:**

White

· **Smell:**

Odourless

· **Odour threshold:**

Not determined.

· **Melting point/freezing point:**

Not determined

· **Boiling point or initial boiling point and boiling range**

100 °C (80-62-6 methyl methacrylate)

· **Flammability**

Not determined.

· **Lower and upper explosion limit**

· **Lower:**

Not determined.

· **Upper:**

Not determined.

· **Flash point:**

Not applicable

· **Decomposition temperature:**

Not determined.

· **SADT**

· **pH**

Not applicable.

· **Viscosity:**

· **Kinematic viscosity**

Not applicable.

· **dynamic:**

Not applicable.

· **Solubility**

· **Water:**

Insoluble

· **Partition coefficient n-octanol/water (log value)**

Not determined.

· **Steam pressure:**

Not applicable.

· **Density and/or relative density**

· **Density**

Not determined

· **Relative density**

Not determined.

· **Vapour density**

Not applicable.

· **9.2 Other information**

No further relevant information available.

(Contd. on page 6)

**Safety data sheet
according to 1907/2006/EC, Article 31**

Printing date 08.06.2022

Version number 6 (replaces version 5)

Revision: 08.06.2022

Trade name: Technovit 4006 SE powder

(Contd. of page 5)

- **Appearance:**
- **Form:** Powder
- **Important information on protection of health and environment, and on safety.**
- **Self-inflammability:** Product is not selfigniting.
- **Explosive properties:** Product is not explosive.
- **Change in condition**
- **Evaporation rate** Not applicable.

· **Information with regard to physical hazard classes**

- **Explosives** Void
- **Flammable gases** Void
- **Aerosols** Void
- **Oxidising gases** Void
- **Gases under pressure** Void
- **Flammable liquids** Void
- **Flammable solids** Void
- **Self-reactive substances and mixtures** Void
- **Pyrophoric liquids** Void
- **Pyrophoric solids** Void
- **Self-heating substances and mixtures** Void
- **Substances and mixtures, which emit flammable gases in contact with water** Void
- **Oxidising liquids** Void
- **Oxidising solids** Void
- **Organic peroxides** Void
- **Corrosive to metals** Void
- **Desensitised explosives** Void

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Conditions to be avoided:** No decomposition if used and stored according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known
- **10.4 Conditions to avoid**
Heat, flames and sparks.
Avoid dust formation.
- **10.5 Incompatible materials:**
Strong oxidizers
Strong acids
reducing agent
- **10.6 Hazardous decomposition products:** None

SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.

· **LD/LC50 values that are relevant for classification:**

80-62-6 methyl methacrylate

Oral	LD50	~7,900 mg/kg (rat)
------	------	--------------------

(Contd. on page 7)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 08.06.2022

Version number 6 (replaces version 5)

Revision: 08.06.2022

Trade name: Technovit 4006 SE powder

(Contd. of page 6)

Dermal	LD50	>5,000 mg/kg (guinea pig) (OECD 402)
Inhalative	LC50/4 h	29.8 mg/l (rat)

94-36-0 dibenzoyl peroxide

Oral	LD0	>2,000 mg/kg (mouse) (OECD 401)
Inhalative	LC0/4h	24.3 ppm (rat) (OECD 403)

- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **11.2 Information on other hazards**
 - **Endocrine disrupting properties**
 Taking into account the current state of scientific knowledge, no data on endocrine disrupting properties of the product are available.

None of the ingredients is listed.

SECTION 12: Ecological information

· **12.1 Toxicity**

· **Aquatic toxicity:**

80-62-6 methyl methacrylate

EC50/21d	49 mg/L (daphnia) (OECD 211)
EC50/48h	69 mg/l (daphnia) (EPA OTS 797.1300)
NOEC / 21d	37 mg/l (daphnia) (OECD 211)
ErC50 / 72 h	>110 mg/l (algae) (OECD 201)
NOEC / 72h	110 mg/l (algae) (OECD 201)
NOEC / 48h	48 mg/l (daphnia) (EPA OTS 797.1300)
EbC50 / 72h	>110 mg/l (algae) (OECD 201)
NOEC/ 35d	9.4 mg/L (fish) (OECD 210)
LC50/ 35d	33.7 mg/L (fish) (OECD 210)

94-36-0 dibenzoyl peroxide

EC50/72h	0.042 mg/l (algae) (OECD 201)
EC50/48h	0.11 mg/l (daphnia) (OECD 202)
LC50/96h	0.06 mg/l (fish) (OECD 203)
ErC50 / 72 h	0.071 mg/l (algae) (OECD 201)
NOEC / 72h	0.02 mg/l (algae) (OECD 201)
NOEC / 96h	0.032 mg/l (fish) (OECD 203)
NOEC / 48h	0.076 mg/l (daphnia) (OECD 202)
ErC10	0.001 mg/L /21d (daphnia) (OECD 211)

· **12.2 Persistence and degradability**

80-62-6 methyl methacrylate

Biodegradation	94 % /14d (not defined) (OECD 301C)
----------------	-------------------------------------

(Contd. on page 8)

**Safety data sheet
 according to 1907/2006/EC, Article 31**

Printing date 08.06.2022

Version number 6 (replaces version 5)

Revision: 08.06.2022

Trade name: Technovit 4006 SE powder

(Contd. of page 7)

94-36-0 dibenzoyl peroxide

Biodegradation 71 % /28d (not defined) (OECD 301D)



- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
 - **PBT:** Not applicable.
 - **vPvB:** Not applicable.
- **12.6 Endocrine disrupting properties**
 For information on endocrine disrupting properties see section 11.
- **12.7 Other adverse effects**
 - **Additional ecological information:**
 - **General notes:**
 Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.
 Do not allow product to reach ground water, water bodies or sewage system.
 Danger to drinking water if even small quantities leak into soil.

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
 - **Recommendation** Smaller quantities can be disposed with household garbage.
- **Uncleaned packagings:**
 - **Recommendation:** Packaging can be reused or recycled after cleaning.

SECTION 14: Transport information

- **14.1 UN number or ID number**
 - **ADR, IMDG, IATA** UN3077
- **14.2 UN proper shipping name**
 - **ADR** 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (dibenzoyl peroxide)
 - **IMDG, IATA** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (dibenzoyl peroxide)
- **14.3 Transport hazard class(es)**
 - **ADR**



 - **Class** 9 (M7) Miscellaneous dangerous substances and articles.

(Contd. on page 9)

**Safety data sheet
according to 1907/2006/EC, Article 31**



Printing date 08.06.2022

Version number 6 (replaces version 5)

Revision: 08.06.2022

Trade name: Technovit 4006 SE powder

(Contd. of page 8)

· Label	9
· IMDG	
	
· Class	9 Miscellaneous dangerous substances and articles.
· Label	9
· IATA	
	
· Class	9 Miscellaneous dangerous substances and articles.
· Label	9
· 14.4 Packing group	
· ADR, IMDG, IATA	III
· 14.5 Environmental hazards:	
· Marine pollutant:	No
· Special marking (ADR):	Symbol (fish and tree)
· Special marking (IATA):	Symbol (fish and tree)
· 14.6 Special precautions for user	Warning: Miscellaneous dangerous substances and articles.
· Kessler Number:	90
· EMS Number:	F-A, S-F
· Stowage Category	A
· Stowage Code	SW23 When transported in BK3 bulk container, see 7.6.2.12 and 7.7.3.9.
· 14.7 Maritime transport in bulk according to IMO instruments	Not applicable.
· Transport/Additional information:	-
· ADR	
· Limited quantities (LQ)	5 kg
· Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g
· Transport category	3
· Tunnel restriction code	(-)
· IMDG	
· Limited quantities (LQ)	5 kg

(Contd. on page 10)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 08.06.2022

Version number 6 (replaces version 5)

Revision: 08.06.2022

Trade name: Technovit 4006 SE powder

(Contd. of page 9)

· Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g
· UN "Model Regulation":	UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (DIBENZOYL PEROXIDE), 9, III

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
 - **Directive 2012/18/EU**
 - **Named dangerous substances - ANNEX I** None of the ingredients is listed.
 - **Seveso category E2** Hazardous to the Aquatic Environment
 - **Qualifying quantity (tonnes) for the application of lower-tier requirements** 200 t
 - **Qualifying quantity (tonnes) for the application of upper-tier requirements** 500 t
 - **Information about limitation of use:**
 - Employment restrictions concerning young persons must be observed.
 - Employment restrictions concerning pregnant and lactating women must be observed.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**
 - H225 Highly flammable liquid and vapour.
 - H241 Heating may cause a fire or explosion.
 - H315 Causes skin irritation.
 - H317 May cause an allergic skin reaction.
 - H319 Causes serious eye irritation.
 - H335 May cause respiratory irritation.
 - H400 Very toxic to aquatic life.
 - H410 Very toxic to aquatic life with long lasting effects.
- **Abbreviations and acronyms:**
 - SADT: Self Accelerating Decomposition Temperature
 - ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
 - IMDG: International Maritime Code for Dangerous Goods
 - IATA: International Air Transport Association
 - GHS: Globally Harmonised System of Classification and Labelling of Chemicals
 - EINECS: European Inventory of Existing Commercial Chemical Substances
 - ELINCS: European List of Notified Chemical Substances
 - CAS: Chemical Abstracts Service (division of the American Chemical Society)
 - DNEL: Derived No-Effect Level (UK REACH)
 - PNEC: Predicted No-Effect Concentration (UK REACH)
 - LC50: Lethal concentration, 50 percent
 - LD50: Lethal dose, 50 percent
 - PBT: Persistent, Bioaccumulative and Toxic
 - vPvB: very Persistent and very Bioaccumulative
 - Flam. Liq. 2: Flammable liquids – Category 2
 - Self-react. B: Self-reactive substances and mixtures – Type B
 - Org. Perox. B: Organic peroxides – Type B

(Contd. on page 11)

GB

**Safety data sheet
according to 1907/2006/EC, Article 31**

Printing date 08.06.2022

Version number 6 (replaces version 5)

Revision: 08.06.2022

Trade name: Technovit 4006 SE powder

(Contd. of page 10)

*Skin Irrit. 2: Skin corrosion/irritation – Category 2**Eye Irrit. 2: Serious eye damage/eye irritation – Category 2**Skin Sens. 1: Skin sensitisation – Category 1**STOT SE 3: Specific target organ toxicity (single exposure) – Category 3**Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1**Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1**Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2***Sources***(EC) 1272/2008: classification, labelling and packaging of substances and mixtures**(EC) 1907/2006: UK REACH**ADR/RID/ADN - IDMG - IATA: transport of dangerous goods by road, rail, inland waterway, with maritime vessels and for the air transport*** Data compared to the previous version altered.*

GB